

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1991

The copy filmed here has been reproduced thanks to the generosity of:



Library of the National
Archives of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\rightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left-hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


La bibliothèque des Archives
nationales du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\rightarrow$ signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



SPECIFICATION

Of Hydrants, for the Stratford Water Works.

The Hydrants, both in design and construction, to be such as the Engineer may approve of and to have frost case outside of stand pipe, double branches, to be served through six inch, six feet below the surface of the ground, and to have all necessary valves, caps, packing boxes, sludge, &c., &c.

The working parts of the hydrant, seats, screws, &c., to be of composition metal.

The discharges to be two in number and 2½ inches diameter, to fit the usual fire hose.

The contractor tendering for the hydrants, to furnish detail drawings and specifications, and full description of their construction and the materials of which they are composed; he may also furnish a specimen.

The hydrants to be tested to a pressure of three hundred pounds per square inch, and to be coated similar to the piping. The portion above ground to be painted three coats best white lead and linseed oil. The parts to be interchangeable.

The company to have the privilege of adding to the number of hydrants to the extent of twenty-five per cent. of the number mentioned in list of quantities.

The hydrants to be delivered in good working order on board the cars at Stratford, and guaranteed for one year.

The whole of the hydrants to be delivered in two months after the award of the contract, subject to a penalty of twenty-five dollars per day for each and every day they remain undelivered after that date.

Each contractor shall deposit a certified cheque, for fifty dollars, with his tender, which shall be retained by the company should he refuse to sign a contract approved of by the company's solicitor. No tender will be entertained, unless accompanied by a cheque.

JOHN M. MOORE, C. E.,
LONDON.

